SAFETY DATA SHEET

Issuing Date: 08-May-2015 Version 1

#1 Network Subtractive Plate Developer

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name #1 Network Subtractive Plate Developer

Product code 28123-49

Product Use Plate developer.

Supplier Address #1 Network, Inc.

309 Professional Park Avenue

Effingham, IL 62401

Company Phone Number 217-536-5737

Emergency Telephone Transport-CHEMTREC Inside NA: 800-424-9300

Transport CHEMTREC Outside NA: 703-527-3887

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation Category 1

GHS Label elements, including precautionary statements

Danger

Hazard Statements

Causes serious eye damage



Precautionary Statements

Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Storage

Not applicable

Disposal

Not applicable

Hazards not otherwise classified (HNOC)

Not classified

Other hazards

Causes mild skin irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
SODIUM BENZOATE	532-32-1	3-7%
GLYCERINE	56-81-5	3-7%
BENZYL ALCOHOL	100-51-6	3-7%
ALKYL ARYL SULFONATE	25417-20-3	3-7%

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice If symptoms persist, call a physician.

Eye contact In case of contact with substance, immediately flush eyes with running water for at least 30

minutes. Keep eye wide open while rinsing. Do not rub affected area. Call a physician

immediately.

Skin contact Wash off immediately with plenty of water. Get medical attention if irritation develops and

persists.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion If swallowed, do not induce vomiting - seek medical advice.

Most important symptoms/effects, acute and delayed

May cause redness, itching, and pain. Burning feeling and temporary redness.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None known.

Specific hazards arising from the chemical

None known.

Hazardous Combustion Products

Carbon oxides. Nitrogen oxides (NOx). Sulfur oxides.

Explosion Data

Sensitivity to Mechanical Impact none

Sensitivity to Static Discharge none

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment. Soak up with inert absorbent material. Pick up and

transfer to properly labeled containers. Clean contaminated surface thoroughly. After

cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Handle product only in closed system or provide appropriate exhaust ventilation at machinery. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA - Workplace
				Environmental Exposure
				Levels (WEELs) - TWAs

GLYCERINE	TWA: 15 mg/m³ mist, total	
	particulate	
	TWA: 5 mg/m³ mist,	
	respirable fraction	
	(vacated) TWA: 10 mg/m ³	
	mist, total particulate	
	(vacated) TWA: 5 mg/m ³	
	mist, respirable fraction	
BENZYL ALCOHOL		10 ppm TWA

Exposure controls

Engineering Measures Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles. Face-shield.

Skin and body protection Wear protective gloves/clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Take off contaminated clothing and wash before

reuse. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear, pale yellow Odor very faint

Odor Threshold Not available Physical State @20°C Aqueous Solution

pH 7 - 9

Specific Gravity1.0Molecular WeightNot availableFlash point> 201 °F / > 94 °CAutoignition temperatureNot available

Flash point > 201 °F / > 94 °C Autoignition temperature Not available

Decomposition temperature Not available Boiling point / boiling range > 212 °F / > 100 °C

Melting point / melting rangeNot availableFreezing PointNot availableFlammability Limit in AirNot available

 Oxidizing Properties
 Not available
 Explosive Property Details
 Not available

 Solubility
 Soluble in water
 Partition coefficient
 Not available

 Evaporation rate
 Not available
 Vapor Pressure
 17 mm Hg @ 20 C

 Vapor density
 Not available
 Partition coefficient
 Not available

Vapor density>1 (air = 1)DensityNot availableVOC (lb/gal)0.6VOC (g/l)71.97

Dynamic viscosity Not available

10. STABILITY AND REACTIVITY

Reactivity

Stable under recommended storage conditions

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Encode had Facility

Excessive heat. Freezing.

Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Acute toxicity

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eyes Corrosive to the eyes and may cause irreversible eye damage.

Skin Causes mild skin irritation.

Ingestion Ingestion may cause stomach discomfort.

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 (lethal concentration)
SODIUM BENZOATE	= 2100 mg/kg (Rat)	-	-
GLYCERINE	= 12600 mg/kg (Rat)	21900 mg/kg (Rat)	> 570 mg/m³ (Rat) 1 h
BENZYL ALCOHOL	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	8.8 mg/L (Rat) 4 h
ALKYL ARYL SULFONATE	= 1250 mg/kg (Rat)		

Information on toxicological effects

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Severe eye irritant. Irritating to skin.

Corrosivity Corrosive to eyes.

SensitizationNo information available.Mutagenic EffectsNo information available.Reproductive ToxicityNo information available.

Carcinogenicity None known.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target Organ Effects Eyes, Skin, Respiratory system.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 8703 mg/kg
ATEmix (dermal) 36364 mg/kg
ATEmix (inhalation-gas) 81818 mg/l
ATEmix (inhalation-dust/mist) 13.6 mg/l
ATEmix (inhalation-vapor) 100 mg/l

ATE: A set of selection and the set of selection and selec

ATE: Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae toxicity	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
SODIUM BENZOATE		Pimephales promelas: 420 -		
		558 mg/L at 96 h		
		Pimephales promelas: 100		
		mg/L at 96 h		
BENZYL ALCOHOL		Pimephales promelas: 460		
		mg/L at 96 h		

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Octonol Water Partition Coefficient (log pow)
SODIUM BENZOATE	-2.13
GLYCERINE	-1.76
BENZYL ALCOHOL	1.1

Mobility

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Dispose of in accordance with local regulations.

Contaminated packaging

Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

IMDG Not regulated

ADR/RID Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Yes **DSL/NDSL** Yes **PICCS** Yes **EINECS/ELINCS** Yes **ENCS** No **IECSC** Yes **KECL** Yes **AICS** Yes

*No - Indicates the component(s) of this product are either not listed or have not been determined to be listed on the inventory.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

TSCA Sections 4, 5 and 12(b)

This product does not contain any chemicals regulated by TSCA Sections 4, 5 or 12(b).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

^{*}Yes - All component(s) of this product are included or are exempt from listing on the inventory.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
GLYCERINE	X	X	X		X
BENZYL ALCOHOL	X		X		

International Regulations

Canada - NDSL

This product does not contain any NDSL chemicals.

Mexico - Grade

No information available

Mexico - Carcinogen Status and Exposure Limits

Chemical Name	Carcinogen Status	Exposure Limits
GLYCERINE		Mexico: TWA 10 mg/m ³

Other Regulations

No information available

16. OTHER INFORMATION					
NFPA	Health Hazard 3	Flammability 1	Instability 0	Physical and chemical hazards	
HMIS	Health Hazard 3	Flammability 1	Physical Hazard 0	Personal protection C	

Revision Date 08-May-2015

Revision Note Disclaimer

No information available

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end
